



軸徑 Shaft Diameter (mm)	軸承型號與大約重量 Bearing Designation and approx. Mass				尺寸 Boundary Dimension (mm)			基本額定負荷 Basic Load rating (N)		極限轉速 Limiting Speed (rpm)
	穿孔型 Open end	重量 Mass (g)	封口型 Close end	重量 Mass (g)	dr	D	B	動 Cr Dynamic	靜 Cor Static	
5	HK0508	1.8	BK 0508	2	5	9	8	2000	1500	36000
	HK0509	2	BK 0509	2.1	5	9	9	2200	1700	36000
	HK0511	2.2			5	9	11	2300	1800	36000
6	HK0607	1.8			6	10	7	1600	1400	30000
	HK0608	2.1	BK 0608	2.2	6	10	8	1800	1500	32000
	HK0609	2.2	BK 0609	2.6	6	10	9	2600	2400	30000
	HK0611	2.3			6	10	11	1700	1500	29000
7	HK0708	2.1			7	11	8	2600	2000	27000
	HK0709	2.3	BK0709	2.9	7	11	9	2800	2100	27000
8	HK0808	2.7	BK0808	3	8	12	8	2500	2400	21000
	HK0810	3	BK0810	3.4	8	12	10	3700	3400	21000
9	HK0908	3	BK0908	3.4	9	13	8	3600	4000	25000
	HK0910	4	BK0910	4.3	9	13	10	4000	4000	25000
	HK0911	4.1			9	13	11	4300	4700	25000
	HK0912	4.6	BK0912	4.9	9	13	12	5000	6000	25000
10	HK1010	4.1	BK1010	4.3	10	14	10	3900	4800	19000
	HK1012	4.8	BK1012	5	10	14	12	5000	6300	19000
	HK1015	6	BK1015	6.2	10	14	15	6700	7800	19000
12	HK1208	3.3			12	16	8	7200	8000	19000
	HK1210	4.6	BK1210	5.2	12	16	10	4100	5800	19000
	HK1212	5.6	BK1212	6.2	12	16	12	3800	5100	15000
13	HK1311	8.5			13	19	11	6300	6300	14000
	HK1312	8.9	BK1312	11.2	13	19	12	6200	7100	17000
14	HK1410	8.3	BK1412	12.1	14	20	10	6700	7000	16000
	HK1412	10.5			14	20	12	6800	7500	16000
	HK1416	13.9			14	20	16	7300	9000	14000
	HK1512	11.1	BK1512	12.7	15	21	12	7000	8400	14000

15	HK1514	12.7			15	21	14	8500	10400	13000
	HK1515	14.2			15	21	15	9100	11400	13000
	HK1516	15	BK1516	16.5	15	21	16	9800	11400	14000
	HK1522	20.4	BK1522	22	15	21	22	10400	16500	14000
16	HK1612	11.7	BK1612	13.8	16	22	12	7100	9200	14000
	HK1614	14.4			16	22	14	8800	9900	12000
	HK1616	15.8	BK1616	17.6	16	22	16	10100	14300	14000
	HK1617	18			16	22	17	12900	17200	12000
	HK1622	21.7	BK1622	23.4	16	22	22	11100	17400	14000
17	HK1712	12.2	BK1712	14.5	17	23	12	6900	9300	13000
	HK1714	14			17	23	14	6800	10200	10000
	HK1716	15.9			17	23	16	8500	12500	10000
	HK1718	19			17	23	18	9500	10600	10000
18	HK1812	13.1	BK1812	14.9	18	24	12	7100	9900	12000
	HK1816	17.5	BK1816	19.9	18	24	16	10600	15300	12000
20	HK2010	11.8	BK2010	14	20	26	10	5900	7200	10000
	HK2011	12			20	26	11	7500	9200	9000
	HK2012	14.1	BK2012	16.7	20	26	12	7600	10100	10000
	HK2014	15.7			20	26	14	9700	18100	9000
	HK2016	19.3	BK2016	22.3	20	26	16	11700	29100	10000
	HK2018	23.3			20	26	18	7900	12800	9000
	HK2020	24.1		27.1	20	26	20	13700	24000	10000
	HK2025	28			20	26	25	9100	14800	9900
22	HK2030	34		37.4	20	26	30	21800	40000	10100
	HK2210	12.3			22	28	10	7200	9500	10010
	HK2212	15	BK2212	18.1	22	28	12	8100	10400	10010
	HK2216	20.9	BK2216	24.3	22	28	16	11400	18100	10010
	HK2220	26.2	BK2220	29.9	22	28	20	114500	25000	10010
HK2230	32			22	28	30	17500	30400	9000	
25	HK2512	20	BK2512	23.2	25	32	12	10000	14200	9000
	HK2514	21.9			25	32	14	13600	18700	9000
	HK2516	27.3	BK2516	31	25	32	16	13600	20000	9000
	HK2518	28.2			25	32	18	17500	25800	9000
	HK2520	34.1	BK2520	38.7	25	32	20	17900	30000	9000
	HK2525	40			25	32	25	22200	36700	9000
	HK2526	44.8	BK2526	49	25	32	26	22500	42000	9000
	HK2538	64.7	BK2538	69	25	32	38	30000	58000	9000
28	HK2816	30.1	BK2816	34.1	28	35	16	15400	22500	8700
	HK2818	31.7			28	35	18	18500	29300	8700
	HK2820	37.6	BK2820	43	28	35	20	18900	32000	8700
30	HK3012	24	BK3012	27.9	30	37	12	10100	16200	8100
	HK3016	32	BK3016	37.1	30	37	16	15200	27000	8100
	HK3018	33.6			30	37	18	19200	31500	8100
	HK3020	40.1	BK3020	46.5	30	37	20	19700	33500	8100

	HK3026	52.9	BK3026	59.4	30	37	26	24000	50000	8100
	HK3038	76.1	BK3038	82.5	30	37	38	32500	74000	8100
32	HK3224	50.7			32	39	24	25500	52000	7300
	HK3232	66.4			32	39	32	22600	54300	7100
35	HK3512	27.7	BK3512	32.9	35	42	12	12100	19300	7100
	HK3516	36.9	BK3516	43.8	35	42	16	15700	27500	7100
	HK3520	46.1	BK3520	54.8	35	42	20	20800	41000	7100
40	HK4012	31.1	BK4012	38.2	40	47	12	14000	24300	6300
	HK4016	41.4	BK4016	51	40	47	16	20000	38500	6300
	HK4020	51.8	BK4020	62	40	47	20	25500	52000	6300
45	HK4512	34.8	BK4512	45	45	52	12	12900	22500	5800
	HK4516	46.2	BK4516	56	45	52	16	19300	38000	5800
	HK4520	56	BK4520	72	45	52	20	22000	51000	5800
	HK5012	44.2			50	58	12	23600	57200	5300
	HK5020	72	BK5020	87.3	50	58	20	28000	60000	5300
	HK5025	90.1	BK5025	109	50	58	25	34500	80000	5300
55	HK5520	78	BK5020	93.8	55	63	20	29500	59900	4600
	HK5525	109			55	63	25	33500	69900	4600
	HK5528	111	BK5528	132	55	63	28	39000	98000	4600
60	HK6012	49.2	BK6012	78	60	68	12	12400	29000	4100
	HK6020	86	BK6020	105	60	68	20	30500	72000	4100
	HK6032	136	BK6032	164	60	68	32	50000	131000	4100